Exercise Sheet 1

Exercise 1 (Data Rate and Latency)

The Prussian semaphore system (dt. *Preußischer opti*scher Telegraf) was a telegraphic communications system used between Berlin and Koblenz in the Rhine Province and was in operation from 1832 until 1849.

Official and military messages were transmitted using optical signals over a distance of nearly 550 km via 62 telegraph stations.


Each station was equipped with 6 telegraph arms each with 4 positions for encoding.

- 1. **Data rate**: How many bits can be transmitted per second when a new adjustment of the telegraph arms can be performed every 10 seconds?
- 2. Latency: If each station requires 1 minute for the forwarding, what is the end-to-end delay? How long does it take to transmit a message of 24 bits? How long does it take to transmit a message of 512 bits?
- 3. What impact does it have on bandwidth and latency if the telegraph arms could be newly adjusted every 5 seconds?

What if each station would require 5 minutes for forwarding?

4. Can you imagine why the arms can be only adjusted in four different positions?

Hint 1: You don't need a complex formula to calculate this exercise.Hint 2: The last station does not need to forward the message.Hint 3: We assume a velocity factor of 1.



Source: Jörg Roth. Prüfungstrainer Rechnernetze. Vieweg (2010) and Wikipedia

Exercise 2 (Transmission Media)

- 1. What transmission media are used for computer networks?
- 2. What is the transmission media used in cellular networks like LTE?

Exercise 3 (Transfer Time)

An image has a size of 1920x1080 pixels (Full HD) with true color, which means that 3 Bytes per pixel are used for the color information.

- 1. How long does it take to transmit the uncompressed image via a ...
 - 56 kbps Modem connection?
 - 64 kbps ISDN connection?
 - 1 Mbps DSL connection?
 - 10 Mbps Ethernet connection?
 - 16 Mbps DSL connection?
 - 100 Mbps Ethernet connection?
 - 1 Gbps Ethernet connection?

Hint: 1 kbps = 1,000 Bits per second 1 Mbps = 1,000,000 Bits per second 1 Gbps = 1,000,000,000 Bits per second

- 2. Assume the image is compressed with a compression algorithm that reduces the image size by 85%. How long does it take to transmit the image via a . . .
 - 56 kbps Modem connection?
 - 64 kbps ISDN connection?
 - 1 Mbps DSL connection?
 - 10 Mbps Ethernet connection?
 - 16 Mbps DSL connection?
 - 100 Mbps Ethernet connection?
 - 1 Gbps Ethernet connection?

Exercise 4 (Storing and transmitting Data)

Common assumptions about data are:

- It is easy to store data today.
- It is easy to transport or transmit data today.

In this exercise, we verify the correctness of these statements.

- 1. A scientific experiment produces 15 PB of data per year, which need to be stored. What is the height of a stack of storage media, if for storing the data...
 - CDs (capacity: $600 \text{ MB} = 600 * 10^6 \text{ Byte}$, thickness: 1.2 mm) are used?
 - DVDs (capacity: $4.3 \text{ GB} = 4.3 \times 10^9 \text{ Byte}$, thickness: 1.2 mm) are used?
 - Blu-rays (capacity: $25 \text{ GB} = 25 * 10^9 \text{ Byte}$, thickness: 1.2 mm) are used?
 - HDDs (capacity: $2 \text{ TB} = 2 * 10^{12} \text{ Byte, thickness: } 2.5 \text{ cm}$) are used?

Attention: Calculate the solutions for both options:

- $15 \text{ PB} = 15 * 10^{15} \text{ Byte} \iff \text{this way, the hardware manufacturer calculate}$
- 15 $PB = 15 * 2^{50}$ Byte \Leftarrow this way, the operating systems calculate
- 2. The data of the scientific experiment is transmitted via networks that use fiber-optic cables and provide a bandwidth of $40 \,\mathrm{Gbit/s}$.
 - How long does it take to transfer the 15 PB via a 40 Gbit/s network?
 - How long does it take to transfer the 15 PB via a 100 Mbps Ethernet?

Attention: Calculate the solutions for both options:

- $15 \text{ PB} = 15 * 10^{15} \text{ Byte}$
- $15 \text{ PB} = 15 * 2^{50} \text{ Byte}$

Exercise 5 (Transfer Time = Latency)

A MP3 file with a size of $30 * 10^6$ bits must be transferred from terminal device A to terminal device B. The signal propagation speed is 200,000 km/s. A and B are directly connected by a link with a length of 5,000 km. The file is transferred as a single message, that has a size of $30 * 10^6$ bits. No network protocol headers or trailers exist.

- 1. Calculate the transfer time (latency) of the file, when the data rate of the computer network between both terminal devices is...
 - 56 kbps
 - 64 kbps

- 1 Mbps
- 16 Mbps
- 100 Mbps
- 2. Calculate for each one of the above alternatives what the volume of the network connection is. What is the maximum number of bits that can reside inside the line between the sender and receiver?

```
Hint: We assume no waiting time.
Waiting time = 0 s.
```

Exercise 6 (Bandwidth-Delay Product)

Imagine, NASA sent a spacecraft to planet Mars, which landed there. A 128 kbps (kilobit per second) point-to-point link is set up between planet Earth and the spacecraft.

The distance between Earth and Mars fluctuates between approx. 55,000,000 km and approx. 400,000,000 km. For the further calculations, we use the 55,000,000 km, which is the distance from Earth to Mars, when they are closest together.

The signal propagation speed is 299, 792, 458 m/s, which is the speed of light.

1. Calculate the Round Trip Time (RTT) for the link.

RTT = (2 * distance) / signal propagation speed

2. Calculate the bandwidth-delay product for the link to find out what is the maximum number of bits, that can reside inside the line between the sender and receiver?

Signal propagation speed = 299.792.458 m/sDistance = 55.000.000.000 mTransmission delay = 0 sWaiting time = 0 s

3. A webcam at the surface of planet Mars sends pictures to Earth. Each image has a size of 20 MB ($1 \text{ MB} = 2^{20} \text{ Byte}$). How quickly, after a picture is taken, can it reach Mission Control on Earth?

Source: Larry L. Peterson, Bruce S. Davie. Computernetzwerke. dpunkt (2008)

Exercise 7 (Unicast, Broadcast, Multicast, Anycast)

Match the corresponding analogies:

Statement	
Writing a WhatsApp message to your classmate	
Shouting to a friend on the university yard	
Open a ticket at the CIT service desk	
Fire alarm siren	
Sending a message to Telegram group	
Broadcasting a radio program	
Writing an email to the Linux kernel mailing list	

Exercise 8 (Directional Dependence – Anisotropy)

- 1. With handheld transceivers, often called *walkie-talkie*, two or more participants can talk to each other. However, at no time, more than one participant can speak. Please describe the reason for this limitation.
- 2. According to what directional dependence principle do *walkie-talkies* operate?

 \Box Simplex \Box Full-duplex

□ Half-duplex

- 3. Name 2 systems, that operate according to the simplex principle.
- 4. Name an advantage and a drawback of communication systems that operate according to the simplex principle?
- 5. Name 2 systems, that operate according to the full-duplex principle.
- 6. Name an advantage and a drawback of communication systems that operate according to the full-duplex principle?



Picture of a handheld transceiver "walkie-talkie"

Image source: Google image search

Exercise 9 (Network Topologies)

Several network topologies (Bus, Ring, Star, Mesh, Tree and Cellular) exist. Consider the following table and fill in the names of the network topologies for which the sentences are true.

Statement	
Cable failure can separate the network in two functioning parts	
Topology contains a single point of failure	
(A single point of failure can be a device or a cable)	
Topology used for Thin Ethernet and Thick Ethernet	
Topology contains a performance bottleneck	
Topology used for WLAN, when no Access Point exists	
Topology used for Token Ring (logical)	
Topology used for mobile phones (GSM standard)	
Topology used for Token Ring (physical)	
Cable failure leads to complete network failure	
Topology contains no central component	
Topology used for WLAN, when an Access Point exists	
Topology used with modern Ethernet standards	

Exercise 10 (Do some research)

- 1. What is the sender address for the first email sent to Germany?
- 2. The ISO/OSI reference model comprises seven layers (1-7). Sometimes computer scientists speak about layer 0 or layer 8. What is meant?
- 3. Would it be a good idea to deliver YouTube videos via broadcast?
- 4. Which of the following protocols have not been specified by the IETF? Why not?
 - DNS
 - WIFI
 - QUIC
 - ARP
 - Ethernet
 - HTTP